



# BESTLIFT SERIES

## FULL BODY PATIENT LIFT

### SPECIALTY FULL BODY PATIENT LIFT

PL350CT [Car Transfer](#)  
PL400EF [Foldable/Portable](#)  
PL 400H/HE [Convertible](#)

### PROCARE FULL BODY PATIENT LIFT

PL 400  
PL 500  
PL 600

2920 Pacific Drive, Norcross, GA 30071 • Tel: 678-679-6690 • Fax: 678-679-6697  
Email: [sales@bestcarellc.com](mailto:sales@bestcarellc.com) • Web Site: [www.bestcarellc.com](http://www.bestcarellc.com)

# BESTLIFT®

## PL350CT | FULL BODY PATIENT LIFT

The BestLift® PL350CT is the perfect solution for car transfers and your everyday transfer needs. With its unique spreader bar, this BestLift is able to position patients from sitting to a lying down position with minimal patient movement. It also transfer them from the car, wheelchair, floor or bed and adds versatility by folding up for easy transportation.

### Car Transfer Specialist

- **350lb** capacity
- Easy car transfer
- Fully electric lift with optimal spare battery
- Foldable and portable for easy transport
- Compatible with most plastic clip slings
- Minimal swinging of patient



2920 PACIFIC DR., NORCROSS, GA 30071  
WWW.BESTCARELLC.COM  
678-679-6690



# | PL350CT - Car Transfer Lift



PL350CT BEING USED TO  
PICK UP A PATIENT



SIDE VIEW OF THE PL350CT  
INCLINED POSITION



SIDE VIEW OF THE PL350CT  
LYING POSITION


## Easy Transfer in-and-out cars




## | DIMENSIONS

Key dimensions of PL350CT	
maximum capacity	350Lb / 158.8Kg
base legs length	41.0 in
base closed external width	25.6 in
base opened internal width	32 in
base height	4.7 in
mast height	47.3 in
min lifting height	21.5 in
max lifting height	63.5 in
netweight	94Lb / 43Kg
shipping weight	108Lb / 49Kg

SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE



TOP VIEW OF PL350CT



SIDE VIEW OF PL350CT

# BESTLIFT®

NEW!

## PL400EF | FULL BODY PATIENT LIFT

The Bestlift® PL400EF represents a new standard in full body lifts for individuals who travel or are seeking storage efficiency in their home. PL400EF assembles (or folds) with 3 easy steps allowing for full operation or preparing for storage/transport.




PUSH HANDLES



- Portable and foldable for easy storage and transportation
- Light weight and easy to move
- **400lb** capacity
- Optional scale available
- Optional spare battery and wall charger available
- Easy to service and disassemble




# | PL400EF




## | DIMENSIONS

Dimensions & Specifications		
	Safe Working Load	400 lb (182 kg)
B	Base Length	41.0" (1,041mm)
C	Base External Width – Closed	25.6" (650mm)
D	Base Internal Width – Opened	32.0" (813mm)
E	Mast Height	48.3" (1,227mm)
F	Front Caster Height	4.7" (119mm)
G	Lifting Height – Lowest	18.5" (465mm)
H	Lifting Height – Highest	67.2" (1707mm)
I	Base Opened Turning Diameter	55" (1,384.9mm)
H	Base Closed Turning Diameter	51" (1,306.5mm)
	Unloaded Lift Weight	89.7 lb (40.8 kg)

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE





TOP VIEW OF PL400EF



SIDE VIEW OF PL400EF





2920 PACIFIC DR., NORCROSS, GA 30071  
WWW.BESTCARELLC.COM  
678-679-6690



# BESTLIFT™

## PL400H/HE | CONVERTIBLE

The innovative BestLift™ PL400H/HE home care lifts are designed to allow manual or electric use. The hydraulic unit may be upgraded to electric anytime with an easy-to-attach electric kit. Built to last and yet extremely affordable. Ask your local dealer about the Medicare options available for this lift.



- 6 point spreader bar
- **400lb** capacity
- Electric
- Medicare options available
- No tool required for assembly

BestLift PL400HE Displayed



BestLift PL400H Displayed

- 6 point spreader bar
- **400lb** capacity
- Hydraulic
- Medicare options available

## | UPGRADE ELECTRONIC KIT



## | SPECIAL FEATURE

- \*EASY TO DISASSEMBLE  
FOR TRANSPORTING
- \*NO TOOLS NEEDED



## | DIMENSIONS

### Key dimensions of PL400H/HE

maximum capacity	400Lb / 182Kg
base legs length	40"
base closed external width	26"
based open external width	33"
mast height	49"
base height	4.8"
min. lifting height	27"
max. lifting height	68"
net weight	82Lb / 37Kg
shipping weight	93Lb / 42Kg

\* with spreader bar

SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE



# BESTLIFT™

## PL400 | FULL BODY PATIENT LIFT

The BestLift™ PL400 is one of the latest ProCare products. Ergonomically designed to reduce and eliminate back injuries among professional caregivers. Providing comfort and dignity for users.



- **400lb** capacity
- Lift from floor and over high beds
- 6-point spreader bar for extra comfort
- Full electric lift with optional spare battery
- Optional Scale




# | DIMENSIONS


Key dimensions of PL400	
maximum capacity	400Lb / 182Kg
external base width (closed)	26.9"
internal leg width (opened)	38.5"
upright mast height	50.6"
overall base length	47.6"
base height	4.9"
minimum lifting height with spreader bar	28.7"
maximum lifting height with spreader bar	72.2"
net weight	97lb / 44kgs
shipping weight	121lb / 54.9kgs

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | PL400



TOP VIEW OF PL400



SIDE VIEW OF PL400

# BESTLIFT™

## PL500 | FULL BODY PATIENT LIFT

The BestLift™ PL500 is one of the latest ProCare products. Ergonomically designed to reduce and eliminate back injuries among professional caregivers. Providing comfort and dignity for users.




- **500lb** capacity
- Lift from floor and over high beds
- 6-point spreader bar for extra comfort
- Full electric lift with optional spare battery
- Optional scale.

# | DIMENSIONS


Key dimensions of PL500	
maximum capacity	500Lb / 228 Kg
external base width (closed)	26.9"
internal leg width (opened)	38.5"
upright mast height	50.6"
overall base length	47.6"
base height	4.9"
minimum lifting height with spreader bar	28.7"
maximum lifting height with spreader bar	72.2"
net weight	98lb / 44.5kgs
shipping weight	122lb / 55.3kgs

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | PL500



TOP VIEW OF PL500



SIDE VIEW OF PL500

# BESTLIFT™

## PL600 | FULL BODY PATIENT LIFT

The BestLift™ PL600 is one of the latest ProCare products. Ergonomically designed to reduce and eliminate back injuries among professional caregivers. Providing comfort and dignity for users.



- **600lb** capacity
- Lift from floor and over high beds
- 6-point spreader bar for extra comfort
- Full electric lift with optional spare battery
- Reinforced foot pedal
- Optional scale.




# | DIMENSIONS


Key dimensions of PL600	
maximum capacity	600Lb / 273 Kg
external base width (closed)	26.4"
internal leg width (opened)	39.2"
upright mast height	51.3"
overall base length	47.3"
base height	4.9"
minimum lifting height with spreader bar	26.3"
maximum lifting height with spreader bar	68.7"
net weight	123 lb / 56 kgs
shipping weight	139 lb / 63 kgs

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | PL600



TOP VIEW OF PL600



SIDE VIEW OF PL600



# BESTSTAND SERIES

## SIT-TO-STAND

**SA400HE Mini**

**SA228**

**SA400**

**SA500**

**SA600**

# BESTSTAND™

## SA400H/HE | MINI | SIT-TO-STAND

The BestStand™ SA400H/HE Mini are our latest innovative design for quick and easy sit-to-stand transfer. They are small and compact. Easy to maneuver in tight space. Available in both hydraulic and electric.



- **400lb** Capacity
- Unique T-bar design for quick lifting action
- Hydraulic with optional electric upgrade
- Adjustable knee pad
- Detachable foot plate



# | DIMENSIONS

Key dimensions of SA400H/HE MINI	
maximum capacity	400Lb / 182 Kg
external base width (closed)	25.8"
internal leg width (opened)	32.1"
upright mast height	40"
overall base length	37.4"
base height	4.5"
minimum lifting height with spreader bar	36.1"
maximum lifting height with spreader bar	57.3"
knee pad length extension range	4.5"
maximum boom width	14"
knee pad height extension range	22.11"
net weight	102lb / 46.2kgs
shipping weight	112lb / 51kgs


\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

| **SA400H**<sub>HYDRAULIC</sub>

| **SA400HE**<sub>ELECTRONIC</sub>



TOP VIEW OF SA400HE MINI



SIDE VIEW OF SA400HE MINI



# BESTSTAND™

## SA228/H | SIT-TO-STAND LIFT

The Bestlift™ SA228/H are an affordable Care solution. They are compact and easy to maneuver. Medicare reimbursable (E0630).



- **500lb** capacity
- Hydraulic with optional electric upgrade
- Adjustable knee pad
- Detachable foot plate


# | DIMENSIONS

Key dimensions of SA228/H	
maximum capacity	500Lb / 228 Kg
external base width (closed)	24.9"
internal leg width (opened)	33.9"
upright mast height	40"
overall base length	37.5"
base height	4.9"
minimum lifting height with spreader bar	38"
maximum lifting height with spreader bar	60.5"
knee pad length extension range	4.5"
maximum boom width	17.7"
knee pad height extension range	22.6"
net weight	1111lb / 50.3kgs
shipping weight	1191lb / 53.9kgs


\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | SA228 ELECTRONIC

## | SA228H HYDRAULIC



TOP VIEW OF SA228



SIDE VIEW OF SA228

# BESTSTAND™

## SA400 | SIT-TO-STAND LIFT

The BestStand™ SA400 is one of the latest addition to our ProCare Sit-to-Stand Solutions. Its ergonomic design ensures safe and smooth patient sit-to-stand transfer.




- **400lb** Capacity
- Full electric with optional spare battery
- Wide Lifting range
- Adjustable knee pad
- Compact base for easy maneuver
- Detachable foot plate

# | DIMENSIONS


Key dimensions of SA400	
maximum capacity	400Lb / 182 Kg
external base width (closed)	26.9"
internal leg width (opened)	35.3"
foot plate clearance	13.8"
upright mast height	41.7"
overall base length	41.5"
base height	5"
minimum lifting height with spreader bar	36.1"
maximum lifting height with spreader bar	66.5"
knee pad length extension range	2.8"
maximum boom width	18.2"
knee pad height	20.3-23.8"
net weight	115lb / 52.2kgs
shipping weight	130lb / 59kgs

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | SA400



TOP VIEW OF SA400



SIDE VIEW OF SA400



# BESTSTAND™

## SA500 | SIT-TO-STAND LIFT

The BestStand™ SA500 is one of the latest addition to our ProCare Sit-to-Stand Solutions. Its ergonomic design ensures safe and smooth patient sit-to-stand transfer.




- **500lb** Capacity
- Full electric with optional spare battery
- Wide Lifting range
- Adjustable knee pad
- Compact base for easy maneuver
- Detachable foot plate

# | DIMENSIONS


Key dimensions of SA500	
maximum capacity	500Lb / 228 Kg
external base width (closed)	26.9"
internal leg width (opened)	35.3"
foot plate clearance	13.8"
upright mast height	41.7"
overall base length	41.5"
base height	5"
minimum lifting height with spreader bar	36.1"
maximum lifting height with spreader bar	66.5"
knee pad length extension range	2.8"
maximum boom width	18.2"
knee pad height extension range	20.2-23.7"
net weight	116lb / 52.6kgs
shipping weight	131lb / 59.4kgs

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | SA500



TOP VIEW OF SA500



SIDE VIEW OF SA500

# BESTSTAND™

## SA600 | SIT-TO-STAND LIFT

The BestStand™ SA600 is one of the latest addition to our ProCare Sit-to-Stand Solutions. Its ergonomic design ensures safe and smooth patient sit-to-stand transfer.




- **600lb** Capacity
- Full electric with optional spare battery
- Wide Lifting range
- Adjustable knee pad
- Compact base for easy maneuver
- Detachable foot plate

# | DIMENSIONS


Key dimensions of SA600	
maximum capacity	600Lb / 273 Kg
external base width (closed)	26.9"
internal leg width (opened)	35.3"
foot plate clearance	18.1"
upright mast height	41.7"
overall base length	41.5"
base height	5"
minimum lifting height with spreader bar	37.5"
maximum lifting height with spreader bar	66.5"
knee pad length extension range	2.8"
maximum boom width	18.2"
knee pad height extension range	20.2-23.7"
net weight	125lb / 56.5kgs
shipping weight	139lb / 63kgs

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE

## | SA600



TOP VIEW OF SA600



SIDE VIEW OF SA600



# BESTMOVE SERIES

## STANDING TRANSFER AID

STA 400  
STA 450



# BESTMOVE™

## STA400 | STANDING TRANSFER AID

The BestMove™ STA400 is the perfect blend of form and function for patient transfers. With the new TS30760 Raising belt, users and caregivers will be able to easily transfer the patient from a sitting position to a standing as well as from a standing position to a sitting position.

**NEW!**



STA400 BEING USED WITH RAISING BELT WHILE PATIENT IS SITTING



STA400 WITH RAISING BELT: PATIENT PULLS HIMSELF UP WITH ASSISTANCE



STA400 WITH RAISING BELT: PATIENT IS TRANSFERRED TO STANDING POSITION




- **400lb** capacity
- Shin brace for secure transports
- First choice for any fall prevention program
- Support strap available

# | STA400



CLOSED SWIVEL SEATS




OPEN SWIVEL SEATS

## | DIMENSIONS


### Key dimensions of STA400

maximum capacity	400Lb / 182Kg
overall height	43.2 in
overall base length	29.9 in
overall width	24.5
minimum seat height	26 in
maximum seat height	33.5
front-end base height	3.6
external front-end leg width	16.5
maximum kneepad height	21
horizontal handlebar width	20
net weight	60lb/27kg
shipping weight	73lb/33kg


\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE



FRONT VIEW OF STA400



SIDE VIEW OF STA400



TOP VIEW OF STA400



2920 PACIFIC DR., NORCROSS, GA 30071  
WWW.BESTCARELLC.COM  
678-679-6690

# BESTMOVE™

## STA450 | STANDING TRANSFER AID

The BestMove™ STA450 is your best choice for fall prevention, while at the same time promoting mobility for the patient. With the new TS30760 Raising belt, users and caregivers will be able to effortlessly transfer the patient from a sitting position to a standing position as well as from a standing position to a sitting position.

**NEW!**



STA450 BEING USED WITH RAISING BELT WHILE PATIENT IS SITTING



STA450 WITH RAISING BELT: PATIENT PULLS HIMSELF UP WITH ASSISTANCE



STA450 WITH RAISING BELT: PATIENT IS TRANSFERRED TO STANDING POSITION





- **450lb** capacity
- Dual shin pads for extra support
- TS30760 Raising Belt available
- Legs open to fit around wheelchairs for easier patient transfers

# | DIMENSIONS


Key dimensions of STA450	
maximum capacity	450Lb / 205Kg
overall height	43.2 in
overall base length	35.5 in
minimum seat height	26 in
maximum seat height	33.5
front-end base height	3.6 in
internal leg width (open)	32 in
external leg width (closed)	27.7 in
maximum kneepad height	21 in
horizontal handlebar width	20 in
net weight	78Lb / 35.2Kg
shipping weight	93Lb / 42Kg

\* SPECIFICATIONS PROVIDED ARE A GENERAL GUIDELINE  
AND ARE SUBJECT TO CHANGE WITHOUT NOTICE


## | STA450



FRONT VIEW OF STA450



SIDE VIEW OF STA450



TOP VIEW OF STA450



2920 PACIFIC DR., NORCROSS, GA 30071  
WWW.BESTCARELLC.COM  
678-679-6690